

SPECIALISED PROTECTION

SAFETY SOLUTIONS FOR THE HORECA SECTOR

Ansell.com







OPTIMUM PROTECTION ACROSS ALL INDUSTRIAL SECTORS AND AROUND THE GLOBE

Ansell is a world leader in providing protection solutions with 52 facilities across 55 countries. Ansell's mission is to provide innovative solutions for safety, well-being and peace of mind, no matter who or where you are.



BODY PROTECTION

Body protection solutions for people working in dirty or hazardous environments. The large range of suits responds to all 6 "types" of chemical protective clothing developed by the EU.

KEY TECHNOLOGIES: RIPEL™



REGULATORY EXPERTISE

As a leading member of the glove and chemical protective clothing standardisation committees for over 20 years, Ansell is the ideal partner to offer training and expertise on regulatory changes.



INDUSTRY EXPERTISE

AnsellGUARDIAN® is our global consulting service helping companies to select the right Personal Protection Equipment solution to improve their safety, productivity and cost performance while offering a safer work environment. It includes AnsellGUARDIAN® Chemical which offers a personalised glove assessment with expected permeation times to enhance chemical protection, performance and compliance.



ETHICAL AND STABLE SUPPLY PARTNER

Environmental – consistent electrical, thermal and water reductions. ISO 14001 certification and waste management. Global CO_2 emission reduction plan.

Stability – Ansell has a full disaster recovery plan to provide consistent supply of manufactured and outsourced products.

Societal – Ansell has a well-established corporate donations program supporting many disaster relief efforts

★ For more information, please visit ansell.com



PROTECTING WORKERS IN HOTELS, RESTAURANTS AND CATERING

The **hotel**, **restaurant and catering sector (Horeca)** covers hotels, bars, pubs, restaurants, contract caterers, fast-food takeaways, cafes and bistros. It is an important job creator in the service sector and employs more than **7.8 million people in the European Union**.

Typically, employees work long, irregular hours doing physically demanding work. The risks to workers' safety and health are many and varied, resulting from **prolonged standing**, **carrying** and **lifting**, **exposure to high noise levels and working in too hot or cold environments**. Workers also suffer **cuts** and **burns**, **trips**, **slips** and **falls**, and **come into contact with dangerous substances**.

The work can be monotonous, stressful and draining. Nevertheless, employers and employees can work together to improve workplace safety and health.



Good risk assessment by - prior identification of hazards is essential to ensure the right issues are being addressed



Management commitment



Worker involvement to ensure all issues are identified and to create the support necessary for the successful implementation of prevention measures



The right kind of training

The following table lists down the different activities, applications and customer needs which will determine the right protective solutions for workers within the HORECA sector:

Activities	Applications	User Needs	Gloves
Housekeeping	Room cleaning Bedsheet change	 Medium to High level of sensitivity and dexterity Viral, Chemical and Liquid protection 	 TouchNTuff[®] 92-600/MICROFLEX[®] 92-134 Versatility AlphaTec[®] 37-310/AlphaTec[®] 79-700 AlphaTec[®] 87-195 AlphaTec[®] 87-190 AlphaTec[®] 87-650
Laundry	Used clothing handling	 Low to Medium level of sensitivity and dexterity Viral, Chemical and Liquid protection 	 TouchNTuff® 92-600/MICROFLEX® 92-134 Versatility AlphaTec® 37-310/AlphaTec® 79-700 AlphaTec® 87-195 AlphaTec® 87-190 AlphaTec® 87-650
Maintenance (electricians, refrigeration technicians, plumbers, pool maintainers)	 Equipment maintenance and repair Electrical equipment repair Washing 	 Medium to High level of sensitivity and dexterity Viral, Chemical and Liquid protection Electrical protection Wet and dry grip 	 TouchNTuff® 92-600 HyFlex® 11-840 AlphaTec® 58-270 ActivArmr Electrical Protection Class 00 EDGE® 48-126 EDGE® 48-128
Gardeners	Garden maintenance and cleaning Washing	 Medium to High level of sensitivity and dexterity Chemical and Liquid protection Cut and puncture protection Wet and dry grip 	 TouchNTuff[®] 92-600 HyFlex[®] 11-840/HyFlex[®] 11-849 AlphaTec[®] 58-270 EDGE[®] 48-126 EDGE[®] 48-128 AlphaTec[®] 87-900 AlphaTec[®] Solvex[®] 37-675 AlphaTec[®] 58-735
Cold Kitchen	 Food preparation/ assembly Slicing/cutting/ chopping Food handling 	Liquid protectionThermal protectionProduct protection	 TouchNTuff® 92-600/MICROFLEX® 92-134 Versatility AlphaTec® 79-700/AlphaTec® 37-310 ActivArmr® 78-110 AlphaTec® 37-007
Hot Kitchen	Food preparation/ assembly Slicing/cutting/ chopping Steaming/Frying/ Roasting Food handling	 High level of sensitivity and dexterity Liquid and Thermal protection Product protection 	 TouchNTuff® 92-600/MICROFLEX® 92-134 Versatility AlphaTec® 79-700/AlphaTec® 37-310 ActivArmr® 78-110 /AlphaTec® 58-201 ActivArmr® 42-474 AlphaTec® 37-007
Fish Point	 Fish preparation/ assembly Slicing/cutting/ chopping Ingredient preparation 	 High level of sensitivity and dexterity Liquid and cut protection Product protection 	 TouchNTuff® 92-600/MICROFLEX® 92-134 Versatility AlphaTec® 79-700/AlphaTec® 37-310 HyFlex® 72-400 AlphaTec® 58-270 AlphaTec® 37-007
Meat Point	Meat preparation/ assembly Slicing/cutting/ chopping Ingredient preparation	 High level of sensitivity and dexterity Cut protection Product protection 	 TouchNTuff[®] 92-600/MICROFLEX[®] 92-134 Versatility AlphaTec[®] 79-700/AlphaTec[®] 37-310 HyFlex[®] 72-400 ActivArmr[®] 78-110 AlphaTec[®] 37-007
Vegetables Point	 Medium/High level of sensitivity and dexterity Cut and Liquid protection Product protection 	 Medium/High level of sensitivity and dexterity Cut and Liquid protection Product protection 	 TouchNTuff[®] 92-600/MICROFLEX[®] 92-134 Versatility AlphaTec[®] 79-700/AlphaTec[®] 37-310 AlphaTec[®] 37-007
Manual Dishwashing	Equipment handling/ maintenance Washing/rinsing	 Medium level of sensitivity and dexterity Wet grip Chemical and Liquid protection 	 AlphaTec® Solvex® 37-185 ActivArmr® 78-110 AlphaTec® 87-195 AlphaTec® 87-190
Show Cooking	Food final preparation	 High level of sensitivity and dexterity Thermal protection Product protection 	 MICROFLEX® 93-852/ MICROFLEX® MidKnight™ Touch 93-732
Bakery	 Handling hoven trays Food preparation/ handling/assembly 	 Low/medium level of sensitivity and dexterity Thermal protection Product protection 	MICROFLEX® 31-103 Compostable AlphaTec® 58-201/ActivArmr® 42-474



Coating material	Nitrile
Grip design	Reversed lozenge
Cuff style	Gauntlet
Size	7, 8, 9, 10, 11
Length (mm)	310
Packaging	12 pairs in a bag; 12 bags in a carton

All day comfort at an exceptional value

DESCRIPTION

- 0.2mm thickness allows dexterity and tactility without a loss of durability
- NBR offering protection against light acids, greases, oils and liquids
- Engineered fit to allow optimum balance of fit and flexibility both on its own or as an overglove
- Long cuff extends protection to the forearm
- AQL 1.5

IDEAL APPLICATIONS

- Production line food contact
- Packaging
- Steaming
- Storing and transportation
- Clean of equipments, tables and floors
- General maintenance
- Equipment, maintenance and repair
- Light assembly in chemical environments
- Painting coating and cleaning
- Plant disinfection and sanitation

PERFORMANCE RATINGS

EN 388:2016











EXTRA FEATURES







Splash

AlphaTec® Solvex® 37-675

CHEMICAL PROTECTION/NITRILE

Coating material	Nitrile
Liner material	-
Grip design	Sandpatch
Cuff style	Straight
Size	6, 7, 8, 9, 10, 11
Length (mm)	330
Palm Thickness (mm)	0.38
Packaging	12 pairs/polybag, 12 polybags/carton

Thin, versatile chemical-resistant gloves that deliver comfortable hand protection

DESCRIPTION

- Cotton flocking: Moisture-absorbent, for enhanced comfort
- 15 mil/0.38mm thickness: PPE gloves offering comfort and dexterity
- Nitrile compound composition: EN 374 Type A chemical resistance

IDEAL APPLICATIONS

- Chemical processing and preparation
- Chemical Handling
- Cleaning
- Janitorial use
- Re-fuel oil fluid and diesel
- Maintenance of plant and machines

PERFORMANCE RATINGS













Coating material	Nitrile
Liner material	-
Grip design	Raised diamond
Cuff style	Gauntlet
Size	6.5, 7.5, 8.5, 9.5, 10.5
Length (mm)	330
Palm Thickness (mm)	0.24
Packaging	1 pair per inner bag, 12 inner bags per master bag, 12 master bags per carton

Flexible and comfortable for exceptional dexterity

DESCRIPTION

- Industrial protective glove
- Sensitive yet durable
- Blue synthetic unsupported glove
- Lightweight unlined nitrile glove
- Raised diamond grip pattern on palm and fingers
- Suitable glove for all types of food.
- Excellent resistance to animal fats

IDEAL APPLICATIONS

- All food processing applications that have food contact
- Cutting up food

PERFORMANCE RATINGS







- Food processing and meat packing applications

AlphaTec® 79-700 (ex. Virtex)

CHEMICAL PROTECTION/NITRILE



Coating material Nitrile AQUADRI™ Liner material Grip design Reversed lozenge Cuff style Rolled beaded 7, 8, 9, 10, 11 Size Length (mm) 310 Thickness (mm) 0.225 1 pair in a bag; 50 pairs in an inner **Packaging** dispenser; 4 dispensers in a carton

Lightweight, comfortable chemical gloves, with advanced inner absorption capabilities

DESCRIPTION

- Featuring AQUADRITM Technology keeping users hands drier for a longer period of time and offering increased comfort
- Reversed lozenge pattern on the palm area combined with a non-chlorinated surface for a secure grip in wet, dry and oily applications
- AQL 0.65

IDEAL APPLICATIONS

- Engine and system testing
- Food distribution
- Handling and light-assembly applications in dry, fully wet or oily conditions
- Oil and hydrocarbon-based solutions
- Painting, coating and cleaning

PERFORMANCE RATINGS











EXTRA FEATURES











Coating material	Natural rubber latex
Liner material	AQUADRI™
Grip design	Fishscale
Cuff style	Straight
Size	6.5 - 7, 7.5 - 8, 8.5 - 9, 9.5 - 10
Length (mm)	305
Thickness (mm)	0.35
Packaging	1 pair per inner bag, 12 inner bags per master bag, 12 master bags per carton

Extra thin glove for excellent sensitivity

DESCRIPTION

- Ultra light duty glove
- 100% cotton flock lining
- Excellent dexterity and tactility
- Chlorinated

IDEAL APPLICATIONS

- Cleaning
- Assembly of parts
- Maintenance

PERFORMANCE RATINGS





CATEGORY III

AlphaTec® 87-195 (ex. VersaTouch®)

W Had

Coating material	Natural rubber latex
Liner material	Cotton flocking
Grip design	Fishscale
Cuff style	Straight
Size	6.5-7, 7.5-8, 8.5-9, 9.5-10
Length (mm)	305
Thickness (mm)	0.35
Packaging	1 pair in a bag; 12 pairs in a master bag; 12 master bags in a carton

CHEMICAL PROTECTION/NATURAL RUBBER LATEX

Effective allergy prevention and exceptional tactile sensitivity


DESCRIPTION

- Specially treated to reduce the risk of allergic reactions
- Provides outstanding sensitivity
- Excellent price/quality ratio
- AQL 0.65

IDEAL APPLICATIONS

- Beef and pork processing
- Cleaning
- Fish processing
- Janitorial use
- Poultry processing

PERFORMANCE RATINGS









Coating material	Natural rubber latex
Grip design	Fishscale
Cuff style	Pinked
Size	6.5 - 7, 7.5 - 8, 8.5 - 9, 9.5 - 10
Length (mm)	305
Thickness (mm)	0.4
Packaging	1 pair per inner bag, 12 inner bags per master bag, 12 master bags per carton

Comfortable chemical resistant glove

DESCRIPTION

- Inside chlorination to reduce risk of allergy
- Light duty glove
- 100% cotton flock lining

IDEAL APPLICATIONS

- Chemical processing and preparation
- Janitorial use
- Assembly of parts
- Maintenance of plant and heavy equipment

PERFORMANCE RATINGS







CATEGORY III

AlphaTec® 87-900

CHEMICAL PROTECTION/NATURAL RUBBER LATEX/NEOPRENE



Natural rubber latex **Coating material** and neoprene blend Grip design Lozenge Cuff style Pinked 7.5, 8, 9, 10, 11 Length (mm) 325 Thickness (mm) 0.68 1 pair per inner bag, 12 inner bags per Packaging master bag; 12 master bags per carton

Bi-colour double dipped natural rubber & neoprene glove, with flocked lining

DESCRIPTION

- Heavy duty with 0.68 mm / 27 mils thickness
- Bi-color with natural rubber and neoprene
- 100% cotton flock lining

IDEAL APPLICATIONS

- Maintenance of plant and machines
- Laboratory maintenance and clean up
- Janitorial use
- Chemical Handling

PERFORMANCE RATINGS









CATEGORY III



Coating material	Nitrile
Grip design	ANSELL GRIP™ TECHNOLOGY
Cuff style	Gauntlet
Size	6, 7, 8, 9, 10, 11
Length (mm)	300
Packaging	12 pairs per bag, 12 bags per case Vend pack variant, 1 pair per bag, 72 bags per carton

Chemical-resistant gloves offering superior grip and advanced dexterity

DESCRIPTION

- Thin, durable nitrile shell: EN 374 Type A chemical protection
- ANSELL GRIP™ coating: For PPE gloves that offer superior grip
- Generous safety cuff: Safety gloves that are easy to put on and remove

IDEAL APPLICATIONS

- Body painting including surface inspection
- Applying sealers, touching up
- Press injection molding
- Equipment repair & maintenance
- Assembling and mounting components
- Painting or cleaning tools or robots
- Final assembly
- Metalwork, glass processing
- Assembly & inspection of components
- Warehousing of raw materials
- Testing

PERFORMANCE RATINGS











CATEGORY III

AlphaTec® Solvex® 37-185

CHEMICAL PROTECTION/NITRILE

Solver of the state of the stat

Coating material Nitrile Liner material Unflocked Grip design Sandpatch Cuff style Gauntlet Size 7, 8, 9, 10, 11 455 Length (mm) Thickness (mm) 0.56 1 pair in a bag; **Packaging** 12 bags in a carton

Designed to deliver optimal results in wet or dry work environments DESCRIPTION

- Ideal choice for safe handling in a wide range of work environments where harsh chemicals are present
- 37-185 and 37-655 have no inner cotton flocking, reducing risk of lint contamination and making it ideal for production areas sensitive to the introduction of external impurities
- Sandpatch finish (37-185) giving the glove a smooth surface that decreases indirect costs thanks to fewer rejects of fragile parts
- AQL 0.65

IDEAL APPLICATIONS

- Agrochemicals
- Chemical processing and preparation
- Printing industries
- Refining oil and petrol

PERFORMANCE RATINGS









EXTRA FEATURES









Coating material	Nitrile
Grip design	ANSELL GRIP™ TECHNOLOGY
Cuff style	Gauntlet
Size	8, 9, 10
Length (mm)	330
Packaging	6 Pairs to a polybag / 9 Polybags to a case

Utilising a unique formulation, AlphaTec® 58-201 is a truly versatile protective solution which can be applied to a wide range of applications and environments

- ANSELL GRIP™ Technology for enhanced grip in Wet and Oily conditions
- Designed to protect at temperatures from -40 C/F to 250°C/482°F
- Acrylic liner keeps the hands warm in cold conditions and protected in contact heat applications
- Nitirle chemical barrier providing protection against a wide range of chemicals

IDEAL APPLICATIONS

- All food processing applications that have food contact
- Cold Storage

DESCRIPTION

- Seafood processing
- Chemical Handling
- · Chemical processing and preparation
- Janitorial use
- Cleaning
- Maintenance

PERFORMANCE RATINGS









AlphaTec® 58-735

CHEMICAL PROTECTION/NITRILE/POLYISOPRENE

AlphaTec

Coating material	Nitrile + Pi
Grip design	ANSELL GRIP™ TECHNOLOGY
Cuff style	Extended
Size	6, 7, 8, 9, 10, 11
Length (mm)	350
Packaging	6 pairs/bag; 12 bags/case

Cut-protective chemical-resistant gloves with high-visibility liner, for advanced protection

DESCRIPTION

- Nitrile shell barrier: EN 374 Type A resistance against common chemicals
- High-visibility inner liner: Indicates when cut, for superior safety
- INTERCEPT™ Cut Resistance Technology: ANSI A3/EN ISO C cut protection

IDEAL APPLICATIONS

- Handling metal sheets & panels
- Handling parts with sharp, rough edges
- Filling, blending and charging of raw materials
- Sample taking and processing
- Removal of broken glassware
- Spill or leakage cleanup
- Assembling and mounting components
- Mixing or loading chemicals
- Cleaning of plant and machines
- Handling application & cleaning tools

PERFORMANCE RATINGS



SPECIAL PURPOSE/COLD



Construction	Knitted
Liner material	Spandex, Thermolite®
Gauge	13
Cuff style	Knitwrist
Size	7, 9
Length (mm)	215 - 235
Packaging	12 pairs in a master bag; 12 master bags in a carton

Knitted thermal gloves

DESCRIPTION

- Special hollow-core fibres provide outstanding thermal insulation barrier between the skin and surrounding environment
- Rapid perspiration elimination through the liner maintains body heat
- No seams to rub or chafe to avoid any discomfort or skin irritation
- Ambidextrous

Remark: fit for special purpose

IDEAL APPLICATIONS

- Either as primary glove or as underglove to protect against cold wherever required
- In refrigerated or chilled conditions in non-sterile and dry food handling

PERFORMANCE RATINGS







CATEGORY III

HyFlex® 72-400 (ex-VersaTouch®)

CUT PROTECTION/MEDIUM DUTY



Construction	Knitted
Liner material	Glass fibre, HPPE, Lycra®, Polyester, Stainless steel
Gauge	10
Cuff style	Knitwrist
Size	6, 7, 8, 9, 10, 11
Length (mm)	230 - 267
Packaging	12 pieces in a bag; 2 bags in a carton

Outstanding cut protection and enhanced durability

DESCRIPTION

- Optimal durability and cut protection: this 10-gauge glove offers the highest cut protection with no compromise on comfort and flexibility
- Machine washable
- Ambidextrous design: no need to pair, therefore more economical
- Latex-free

IDEAL APPLICATIONS

- Fish processing
- Fruit and vegetable processing (sorting, cleaning, paring)
- Meat and poultry processing

PERFORMANCE RATINGS





EXTRA FEATURES





Construction	Knitted
Liner material	Nylon, Spandex
Coating material	Foam nitrile
Finishing	Palm coated
Gauge	15
Cuff style	Knitwrist
Size	5, 6, 7, 8, 9, 10, 11, 12
Length (mm)	200 - 270
Packaging	12 pairs in a bag; 12 bags in a carton

Extreme durability and superior fit for precision handling in abrasive application

DESCRIPTION

- The tough 1.25 mm patented FORTIX™ nitrile foam coating offers outstanding abrasion performance, extending durability in light duty applications
- The FORTIXTM coating is more breathable than earlier formulations, for cooler, drier hands and less sweat
- Matching the natural contours of the hand, the snug, second-skin liner is tailored to create a more comfortable wearing experience: at the base of the little finger (added comfort), across the fingertips (superior tactility), and through the palm (greater dexterity)
- With its balance of robust abrasion performance, enhanced comfort and high dexterity, the HyFlex® is an ideal solution for workers who move between tasks
- Silicone-free material means no transfer of silicone contaminants to metal parts prior to painting

Remark: fit for special purpose

IDEAL APPLICATIONS

- Raw materials reception
- General handling
- Screwing and unscrewing
- Feeding the lines
- Assembly of small and medium parts

PERFORMANCE RATINGS



EXTRA FEATURES





ne-free Vending

CATEGORY II

TECHNOLOGIES









HyFlex® 11-849

MULTI-PURPOSE/LIGHT DUTY



Construction	Knitted
Liner material	Nylon, Spandex
Coating material	Foam nitrile
Finishing	Palm coated
Gauge	18
Cuff style	Knitwrist
Size	6, 7, 8, 9, 10, 11
Length (mm)	210 - 255
Packaging	12 pairs in a bag; 12 bags in a carton

Stay focused. We got your back. DESCRIPTION

- Designed to provide all around comfort and protection across scratches, snags and dirt through:
- 360° breathable coating provides additional protection on the back hand, without compromising on comfort
- FORTIX™ all around protection for a longer continuous wear time in abrasive dry environments
- ANSELL GRIP™ Technology for a sure grip and a safer day at work
- Ergonomic design for a secured and comfortable fit to optimize worker performance

IDEAL APPLICATIONS

- · Feeding the lines
- General handling
- Maintenance
- Raw materials reception

PERFORMANCE RATINGS



EXTRA FEATURES



Antiestático EN 1149

CATEGORY II

TECHNOLOGIES





Abrasion Resistance Technology



SPECIAL PURPOSE/HEAT



Construction	Cut and sewn
Liner material	Cotton, Non-woven polyester
Coating material	Nitrile
Cuff style	Gaunlet
Size	8, 9, 10
Length (mm)	330
Packaging	12 pairs in a bag; 6 bags in a carton

Superior heat resistance with complete protection for hand and wrist

DESCRIPTION

- Full-length heat barrier designed for intermittent handling of hot objects up to 180°C
- Provides some resistance to cuts, minor injuries and abrasion
- Provides excellent grip when handling dry or oily surfaces
- Comfortable and flexible: sweat-absorbent non-woven felt inner

Remark on 42-445: fit for special purpose

IDEAL APPLICATIONS

- Demoulding rubber tyres, belts and profiles, vulcanising, calendering
- Handling hot castings and wooden plates
- Handling hot glass
- Removing sterilised products from autoclaves

PERFORMANCE RATINGS





EXTRA FEATURES



CATEGORY III

ActivArmr Electrical Protection Class 00 - RIG0014Y



Coating material	Natural latex rubber
Cuff style	Straight cuff with rolled beaded edge
Size	7, 8, 8.5, 9, 9.5, 10, 10.5, 11, 12
Length (mm)	360
Thickness (mm)	0.12
Packaging	1 pair/bag, 10 pairs/carton

ELECTRICAL PROTECTION/NATURAL RUBBER LATEX

Durable, form-fitting electrical safety gloves, protecting workers* for varied applications

DESCRIPTION

- Natural rubber latex formulation: Flexibility and durability combined
- Ergonomic design: For safety gloves that result in lesser hand fatigue
- Generous flared cuff: Increased room for clothing and ventilation

*Arc flash certified as per IEC 614821-2:2014 and ASTM F2675:2021 standards

IDEAL APPLICATIONS

- Applications with risk of touch voltage
- Electrical Contractors
- Hybrid engine manufacturing and repair
- Maintenance Repairs and Operations in all industrial environments (MRO)
- Mass Transit Repair and Maintenance
- Power maintenance, repair & transmission
- Telecom repair near electrical wires



Construction	Knitted
Liner material	Polyester
Coating material	Polyurethane
Cuff style	Gaunlet
Size	5, 6, 7, 8, 9, 10, 11
Length (mm)	215-270
Packaging	12 pairs/bag, 12 bags/carton

Cost effective solution for light duty applications requiring a good level of abrasion resistance & grip, as well as high tactility in dry to slightly oily environments

Black glove shows dirt less, gloves are discarded

encourages safety and glove usage

less quickly

Seamless structure; ensures comfort and

IDEAL APPLICATIONS

- Assembly of small pieces
- General handling

DESCRIPTION

- Packaging
- Quality inspection

PERFORMANCE RATINGS



CATEGORY II

EDGE® 48-128

MULTI-PURPOSE/LIGHT DUTY



Construction	Knitted
Liner material	Polyester
Coating material	Nitrile
Cuff style	Knitwrist
Size	6, 7, 8, 9, 10
Length (mm)	220-270
Packaging	12 pairs in a bag; 12 bags in a carton

Better alternatives to light or medium weight knitted cotton gloves due to the nitrile coating that offers much better grip, cushioning and long abrasion resistance

DESCRIPTION

- Very light and comfortable
- High level of dexterity and flexibility
- Good level of abrasion and oil resistance
- Dark glove shows dirt contamination less quickly

IDEAL APPLICATIONS

- Assembly of small parts
- General handling
- Packaging
- Quality control

PERFORMANCE RATINGS





Coating material	Nitrile
Grip design	Smooth design
Cuff style	Rolled beaded
Size	6.5-7, 7.5-8, 8.5-9, 9.5-10
Length (mm)	240
Thickness (mm)	0.12
Packaging	100 gloves per dispenser; 10 dispensers per carton

An unparalleled combination of chemical splash protection, comfort and durability

DESCRIPTION

- Ansell's best-selling glove
- Made with proprietary nitrile formulation for enhanced chemical protection and increased comfort
- Robust nitrile enhances mechanical protection
- AQL 1.5

Remark: fit for special purpose

IDEAL APPLICATIONS

- Chemical handling
- Electronics
- Laboratory analysis
- Light-assembly tasks
- Paint and spray shops

PERFORMANCE RATINGS



EXTRA FEATURES









CATEGORY III

MICROFLEX® 93-852

CHEMICAL PROTECTION/DISPOSABLE/NITRILE

Coating material	Nitrile
Grip design	Fully textured
Cuff style	Beaded
Size	5.5-6, 6.5-7, 7.5-8, 8.5-9, 9.5-10
Length (mm)	245
Thickness (mm)	0.12
Packaging	100 gloves per dispenser; 10 dispensers per carton

Non-foaming formula for a secure grip in wet applications

DESCRIPTION

- Non-foaming formula enable wearers to have a firm wet grip when handling objects
- Distinctive black colour hides stains and provides a contrasting backdrop for identifying lighter coloured material
- AQL 1.5

Remark: fit for special purpose

IDEAL APPLICATIONS

- Light assembly of oil-coated pieces
- Mechanical jobs
- Food processing
- Laboratory analysis and testing
- Light duty maintenance and clean-up

PERFORMANCE RATINGS







EXTRA FEATURES









Coating material	Nitrile
Grip design	Smooth design
Cuff style	Rolled beaded
Size	5.5-6, 6.5-7, 7.5-8, 8.5-9, 9.5-10
Length (mm)	240
Thickness (mm)	0.12
Packaging	100 gloves per dispenser, 10 dispensers per case, 1000 gloves per case

Offers tactility and comfortable protection across numerous applications

DESCRIPTION

- Made of a soft nitrile formulation for comfortable fit and feel
- Lightweight construction for tactile sensitivity and fine motor control
- Designed for a broad range of applications across all industries
- Textured on the fingertips for secure handling of tools and materials
- Silicone free to ensure advanced product protection

IDEAL APPLICATIONS

- Standard patient examinations
- Picking parts and accessories
- Food processing and handling
- Catering/Meal preparation
- Disposal of waste (trash, biohazard and linens)
- Light assembly tasks
- Lab work, blending, compounding, filling, cleaning
- Preparing pharmaceutical products
- Laboratory analysis

PERFORMANCE RATINGS







CATEGORY III

MICROFLEX® MidKnight™ Touch 93-732

DISPOSABLE/NITRILE



Material	Nitrile
Grip design	
Cuff style	
Size	5.5 - 6, 6.5 - 7, 7.5 - 8, 8.5 - 9, 9.5 - 10, 10.5 - 11
Length (mm)	245
Thickness (mm)	
Packaging	Case=1000 gloves/ 10 dispensers; Dispenser=100 gloves 2XL: Case=900 gloves/10 dispensers; Dispenser=90 gloves

Provides excellent dexterity along with enhanced comfort fit and feel

DESCRIPTION

- Enhanced dexterity and tactility in a thin, yet strong design
- Distinctive black colour provides contrast while also hiding the appearance of oils, bodily fluids and other stains
- ERGOFORM™ Design Technology reduces muscle strain during repetitive tasks, improving worker comfort and productivity
- Textured on the fingertips for secure handling of instruments and materials
- Tested for use with fentanyl and gastric acid

IDEAL APPLICATIONS

- General dentistry
- Standard patient examinations
- Emergency services
- Catering/Meal preparation
- General Purpose Auto Aftermarket
- Equipment repair and maintenance
- Laboratory analysis
- Cosmetic Procedures
- Tattoo

PERFORMANCE RATINGS









CATEGORY III





Intended for Industrial Compost Facilities

Compostable gloves and polybag packaging achieves 90% biodegradation within 180 days in industrial composting facilities.



Renewable Materials

Made with a PLA blend, a bio-based polymer partially made with natural, renewable materials like plantbased sugars.



Smart Packed

200 gloves per compostable polybag and 4,000 gloves per recyclable case for reduced packaging and transit waste.



Made in Europe

Manufactured locally in Portugal, allowing for shorter transit distances across Europe.



Responsible Manufacturing

Produced in a facility that sources green, eco-friendly energy.

Material	PLA-BLEND
Grip design	
Cuff style	
Size	5.5-7.0, 7.5-9.0, 9.5-11.0
Length (mm)	300
Thickness (mm)	
Packaging	Case: 4000 gloves/ 20 Polybags; Polybag=200 gloves

PERFORMANCE RATINGS







Compostable disposable gloves, offering hand protection with a lower environmental impact

DESCRIPTION

- Compostable disposable gloves: MICROFLEX® 31-103 gloves achieve 90%+ biodegradation within 180 days in industrial composting facilities
- Certified protection: They are the only PLA-blend product on the market with EN ISO 374-1 Type C and EN ISO 374-5 virus certifications
- Eco-friendly pack: They are packed in 200-count compostable polybags, for decreased packaging waste
- Decreased emissions: Their manufacturing process uses 100% green energy from solar power and hydroelectricity
- Limited allergy risks: They do not contain silicones or accelerators and are allergen-free

IDEAL APPLICATIONS

- Food contact
- Environmentally friendly facilities
- Food processing and handling
- Catering/Meal preparation

Ansell **GUARDIAN**®

Performed by our safety experts, AnsellGUARDIAN® is a service that helps our customers to improve their safety, productivity, combining 45 years of safety assessment experience with a data-driven methodology, delivering unique personalized assessments.

HOW WE DO IT



Result oriented

Our simple and clear processes focus on the most relevant areas to deliver our best practices recommendations for one single application or even an entire site.

Tailor-made

Every customer is different, and so are their safety needs. Our 600+ safety experts assess each situation individually, using the data provided and a proven process. This results in a unique, tailor-made assessment to meet your objectives.

Transformational

Our safety experts support the full implementation of our assessment with samples and education of your workers, to ensure the success of PPE change management.

Sustainable partnership

We start our partnership by analyzing, benchmarking, implementing and improving your PPE related operations and performance. One assessment at a time, we assess your current and future safety needs.



DATA COLLECTION



ASSESSMENT



VALIDATION TESTING



IMPLEMENTATION



TRAINING



EXPANSION

YOUR BENEFITS

\$170 million

65%

injury

portfolio reduction

25%

17.000

assessments since 2010

customer savings on PPE since 2010

35.000

chemicals profiled to

advise what's right

reduction

600+

45+

safety experts

years of experience in safety assessments



VIRTUAL ASSESSMENT POSSIBLE

★ For more information, please visit ansell.com/services



★ For more information on Ansell's safety solutions, visit www.ansell.com or please contact your Ansell Sales or Customer Service Representative with any questions, and place your order today.



VARIO S.A. Pireos 205, Tavros 177 78, Athens Greece



EUROPE, MIDDLE EAST, AFRICA & INDIA Riverside Business Park-Block J, Boulevard International 55, Brussels 1070, Belgium Tel. + 32 2 528 74 00